

Those agents not listed in Risk Groups (RGs) 2, 3 and 4 are not automatically or implicitly classified in RG1; a risk assessment must be conducted based on the known and potential properties of the agents and their relationship to agents that are listed.

Appendix B-II. Risk Group 2 (RG2) Agents

RG2 agents are associated with human disease which is rarely serious and for which preventive or therapeutic interventions are often available.

Appendix B-II-A. Risk Group 2 (RG2) - Bacterial Agents Including Chlamydia

- Acinetobacter baumannii* (formerly *Acinetobacter calcoaceticus*)
- Actinobacillus*
- Actinomyces pyogenes* (formerly *Corynebacterium pyogenes*)
- Aeromonas hydrophila*
- Amycolata autotrophica*
- Archano bacterium haemolyticum* (formerly *Corynebacterium haemolyticum*)
- Arizona hinshawii* - all serotypes
- Bacillus anthracis*
- Bartonella henselae*, *B. quintana*, *B. vinsonii*
- Bordetella* including *B. pertussis*
- Borrelia recurrentis*, *B. burgdorferi*
- Burkholderia* (formerly *Pseudomonas* species) except those listed in Appendix B-III-A (RG3))
- Campylobacter coli*, *C. fetus*, *C. jejuni*
- Chlamydia psittaci*, *C. trachomatis*, *C. pneumoniae*
- Clostridium botulinum*, *C. chauvoei*, *C. haemolyticum*, *C. histolyticum*, *C. novyi*, *C. septicum*, *C. tetani*
- Coxiella burnetii* – specifically the Phase II, Nine Mile strain, plaque purified, clone 4
- Corynebacterium diphtheriae*, *C. pseudotuberculosis*, *C. renale*
- Dermatophilus congolensis*
- Edwardsiella tarda*
- Erysipelothrix rhusiopathiae*
- Escherichia coli* - all enteropathogenic, enterotoxigenic, enteroinvasive and strains bearing K1 antigen, including *E. coli* O157:H7
- **Francisella tularensis* specifically **F. tularensis* subspecies *novicida* [aka *F. novicida*], strain Utah 112; **F. tularensis* subspecies *holarctica* LVS; **F. tularensis* biovar *tularensis* strain ATCC 6223 (aka strain B38)
- Haemophilus ducreyi*, *H. influenzae*
- Helicobacter pylori*
- Klebsiella* - all species except *K. oxytoca* (RG1)
- Legionella* including *L. pneumophila*
- Leptospira interrogans* - all serotypes
- Listeria*
- Moraxella*
- Mycobacterium* (except those listed in [Appendix B-III-A](#) (RG3)) including *M. avium* complex, *M. asiaticum*, *M. bovis* BCG vaccine strain, *M. chelonae*, *M. fortuitum*, *M. kansasii*, *M. leprae*, *M. malmoense*, *M. marinum*, *M. paratuberculosis*, *M. scrofulaceum*, *M. simiae*, *M. szulgai*, *M. ulcerans*, *M. xenopi*
- Mycoplasma*, except *M. mycoides* and *M. agalactiae* which are restricted animal pathogens
- Neisseria gonorrhoeae*, *N. meningitidis*
- Nocardia asteroides*, *N. brasiliensis*, *N. otitidis*, *N. transvalensis*
- Rhodococcus equi*
- Salmonella* including *S. arizona*, *S. choleraesuis*, *S. enteritidis*, *S. gallinarum-pullorum*, *S. meleagridis*, *S. paratyphi*, A, B, C, *S. typhi*, *S. typhimurium*
- Shigella* including *S. boydii*, *S. dysenteriae*, type 1, *S. flexneri*, *S. sonnei*
- Sphaerophorus necrophorus*
- Staphylococcus aureus*
- Streptobacillus moniliformis*

* For research involving high concentrations, BL3 practices should be considered (See [Appendix G-II-C-2. Special Practices \(BL3\)](#)).

- Streptococcus* including *S. pneumoniae*, *S. pyogenes*
- Treponema pallidum*, *T. carateum*
- Vibrio cholerae*, *V. parahaemolyticus*, *V. vulnificus*
- Yersinia enterocolitica*
- Yersinia pestis* specifically *pgm*⁽⁻⁾ strains (lacking the 102 kb pigmentation locus) and *lcr*⁽⁻⁾ strains (lacking the LCR plasmid)

Appendix B-II-B. Risk Group 2 (RG2) - Fungal Agents

- Blastomyces dermatitidis*
- Cladosporium bantianum*, *C. (Xylohypha) trichoides*
- Cryptococcus neoformans*
- Dactylaria galopava* (*Ochroconis gallopavum*)
- Epidermophyton*
- Exophiala (Wangiella) dermatitidis*
- Fonsecaea pedrosoi*
- Microsporum*
- Paracoccidioides brasiliensis*
- Penicillium marneffei*
- Sporothrix schenckii*
- Trichophyton*

Appendix B-II-C. Risk Group 2 (RG2) - Parasitic Agents

- Ancylostoma* human hookworms including *A. duodenale*, *A. ceylanicum*
- Ascaris* including *Ascaris lumbricoides suum*
- Babesia* including *B. divergens*, *B. microti*
- Brugia* filaria worms including *B. malayi*, *B. timori*
- Coccidia*
- Cryptosporidium* including *C. parvum*
- Cysticercus cellulosae* (hydatid cyst, larva of *T. solium*)
- Echinococcus* including *E. granulosis*, *E. multilocularis*, *E. vogeli*
- Entamoeba histolytica*
- Enterobius*
- Fasciola* including *F. gigantica*, *F. hepatica*
- Giardia* including *G. lamblia*
- Heterophyes*
- Hymenolepis* including *H. diminuta*, *H. nana*
- Isospora*
- Leishmania* including *L. brasiliensis*, *L. donovani*, *L. ethiopica*, *L. major*, *L. mexicana*, *L. peruviana*, *L. tropica*
- Loa loa* filaria worms
- Microsporidium*
- Naegleria fowleri*
- Necator* human hookworms including *N. americanus*
- Onchocerca* filaria worms including, *O. volvulus*
- Plasmodium* including simian species, *P. cynomolgi*, *P. falciparum*, *P. malariae*, *P. ovale*, *P. vivax*
- Sarcocystis* including *S. suis hominis*
- Schistosoma* including *S. haematobium*, *S. intercalatum*, *S. japonicum*, *S. mansoni*, *S. mekongi*
- Strongyloides* including *S. stercoralis*
- Taenia solium*
- Toxocara* including *T. canis*
- Toxoplasma* including *T. gondii*
- Trichinella spiralis*
- Trypanosoma* including *T. brucei brucei*, *T. brucei gambiense*, *T. brucei rhodesiense*, *T. cruzi*
- Wuchereria bancrofti* filaria worms

Appendix B-II-D. Risk Group 2 (RG2) - Viruses

Adenoviruses, human - all types

Alphaviruses (Togaviruses) - Group A Arboviruses

--Chikungunya vaccine strain 181/25

--Eastern equine encephalomyelitis virus

--Venezuelan equine encephalomyelitis vaccine strains TC-83 and V3526

--Western equine encephalomyelitis virus

Arenaviruses

--Junin virus candid #1 vaccine strain

--Lymphocytic choriomeningitis virus (non-neurotropic strains)

--Tacaribe virus complex

--Other viruses as listed in the reference source (see [Section V-C, Footnotes and References of Sections I through IV](#))

Bunyaviruses

--Bunyamwera virus

--Rift Valley fever virus vaccine strain MP-12

--Other viruses as listed in the reference source (see [Section V-C, Footnotes and References of Sections I through IV](#))

Caliciviruses

Coronaviruses

Flaviviruses - Group B Arboviruses

--Dengue virus serotypes 1, 2, 3, and 4

--Japanese encephalitis virus strain SA 14-14-2

--Yellow fever virus vaccine strain 17D

--Other viruses as listed in the reference source (see [Section V-C, Footnotes and References of Sections I through IV](#))

Hepatitis A, B, C, D, and E viruses

Herpesviruses - except Herpesvirus simiae (Monkey B virus) (see [Appendix B-IV-D, Risk Group 4 \(RG4\) - Viral Agents](#))

--Cytomegalovirus

--Epstein Barr virus

--*Herpes simplex* types 1 and 2

--*Herpes zoster*

--Human herpesvirus types 6 and 7

Orthomyxoviruses

--Influenza viruses types A, B, and C (except those listed in [Appendix B-III-D, Risk Group 3 \(RG3\) - Viruses and Prions](#))

--Tick-borne orthomyxoviruses

Papilloma viruses

--All human papilloma viruses

Paramyxoviruses

--Newcastle disease virus

--Measles virus

--Mumps virus

--Parainfluenza viruses types 1, 2, 3, and 4

--Respiratory syncytial virus

Parvoviruses

--Human parvovirus (B19)

Picornaviruses

--Coxsackie viruses types A and B
--Echoviruses - all types
--Polioviruses - all types, wild and attenuated
--Rhinoviruses - all types

Poxviruses - all types except Monkeypox virus (see [Appendix B-III-D, Risk Group 3 \(RG3\) - Viruses and Prions](#)) and restricted poxviruses including Alastrim, Smallpox, and Whitepox (see [Section V-L, Footnotes and References of Sections I through IV](#))

Reoviruses - all types including Coltivirus, human Rotavirus, and Orbivirus (Colorado tick fever virus)

Rhabdoviruses

--Rabies virus - all strains
--Vesicular stomatitis virus non exotic strains: VSV-Indiana 1 serotype strains (e.g. Glasgow, Mudd-Summers, Orsay, San Juan) and VSV-New Jersey serotype strains (e.g. Ogden, Hazelhurst)

Rubivirus (Togaviruses)

--Rubella virus

Appendix B-III. Risk Group 3 (RG3) Agents

RG3 agents are associated with serious or lethal human disease for which preventive or therapeutic interventions *may be* available.

Appendix B-III-A. Risk Group 3 (RG3) - Bacterial Agents Including Rickettsia

--*Bartonella*
--*Brucella* including *B. abortus*, *B. canis*, *B. suis*
--*Burkholderia (Pseudomonas) mallei*, *B. pseudomallei*
--*Coxiella burnetii* (except the Phase II, Nine Mile strain listed in [Appendix B-II-A, Risk Group 2 \(RG2\) - Bacterial Agents Including Chlamydia](#))
--*Francisella tularensis* (except those strains listed in [Appendix B-II-A, Risk Group 2 \(RG2\) - Bacterial Agents Including Chlamydia](#))
--*Mycobacterium bovis* (except BCG strain, see [Appendix B-II-A, Risk Group 2 \(RG2\) - Bacterial Agents Including Chlamydia](#)), *M. tuberculosis*
--*Pasteurella multocida* type B -"buffalo" and other virulent strains
--*Rickettsia akari*, *R. australis*, *R. canada*, *R. conorii*, *R. prowazekii*, *R. rickettsii*, *R. siberica*, *R. tsutsugamushi*, *R. typhi* (*R. mooseri*)
--*Yersinia pestis* (except those strains listed in [Appendix B-II-A, Risk Group 2 \(RG2\) - Bacterial Agents Including Chlamydia](#))

Appendix B-III-B. Risk Group 3 (RG3) - Fungal Agents

--*Coccidioides immitis* (sporulating cultures; contaminated soil)
--*Histoplasma capsulatum*, *H. capsulatum* var. *duboisii*

Appendix B-III-C. Risk Group 3 (RG3) - Parasitic Agents

None

Appendix B-III-D. Risk Group 3 (RG3) - Viruses and Prions

Alphaviruses (Togaviruses) - Group A Arboviruses

--Chikungunya virus (except the vaccine strain 181/25 listed in [Appendix B-II-D](#) Risk Group2 (RG2) – Viruses)

--Semliki Forest virus

--St. Louis encephalitis virus

--Venezuelan equine encephalomyelitis virus (except the vaccine strains TC-83 and V3526, see [Appendix B-II-D](#) (RG2) – Viruses)

--Other viruses as listed in the reference source (see [Section V-C, Footnotes and References of Sections I through IV](#))

Arenaviruses

--Flexal

--Lymphocytic choriomeningitis virus (LCM) (neurotropic strains)

Bunyaviruses

--Hantaviruses including Hantaan virus

--Rift Valley fever virus

Coronaviruses

--SARS-associated coronavirus (SARS-CoV)

Flaviviruses - Group B Arboviruses

--Japanese encephalitis virus (except those strains listed in [Appendix B-II-D](#) Risk Group2 (RG2) - Viruses)

--West Nile virus (WNV)

--Yellow fever virus

--Other viruses as listed in the reference source (see [Section V-C, Footnotes and References of Sections I through IV](#))

Orthomyxoviruses

-- Influenza viruses 1918-1919 H1N1 (1918 H1N1), human H2N2 (1957-1968), and highly pathogenic avian influenza H5N1 strains within the Goose/Guangdong/96-like H5 lineage (HPAI H5N1).

Poxviruses

--Monkeypox virus

Prions

--Transmissible spongiform encephalopathies (TSE) agents (Creutzfeldt-Jacob disease and kuru agents)(see [Section V-C, Footnotes and References of Sections I through IV](#), for containment instruction)

Retroviruses

--Human immunodeficiency virus (HIV) types 1 and 2

--Human T cell lymphotropic virus (HTLV) types 1 and 2

--Simian immunodeficiency virus (SIV)

Rhabdoviruses

--Vesicular stomatitis virus (except those strains listed in [Appendix B-II-D](#) Risk Group2 (RG2) - Viruses)